

***P*ROCEEDINGS**

*American
Academy
of Forensic
Sciences*



*72nd Annual Scientific Meeting
Anaheim, CA
February 17-22, 2020*



AMERICAN ACADEMY OF FORENSIC SCIENCES

410 North 21st Street
Colorado Springs, CO 80904
Phone: (719) 636-1100
Fax: (719) 636-1993
Email: info@aafs.org
Website: www.aafs.org

PROCEEDINGS

of the American Academy of Forensic Sciences 72nd Annual Scientific Meeting

The *Proceedings* of the American Academy of Forensic Sciences is an official publication of the American Academy of Forensic Sciences (AAFS). It is devoted to the publication of the abstracts of technical oral papers and posters presented at the AAFS Annual Scientific Meeting. These include various branches of the forensic sciences such as anthropology, criminalistics, digital evidence, engineering, immunology, jurisprudence, odontology, pathology, psychiatry, questioned documents, and toxicology. Similar submissions dealing with forensic-oriented aspects of the social sciences are also included.

Please note that some of the abstracts included in the *Proceedings* deal with topics, results, and/or conclusions that are controversial. The publication of abstracts does not imply that the AAFS, its sections, or the individual section program chairs/committee members have verified or agree with the studies, results, and/or conclusions of each abstract. During the process of planning a scientific program, it is impossible to “peer-review” each abstract and presentation to the degree that is accomplished during manuscript review. Abstracts and presentations are accepted, in part, so they can be critiqued and reviewed by other scientists. Thus, a forum is created to discuss controversial issues.

The views expressed in this publication are not those of the AAFS. The data and opinions appearing in the published material were prepared by and are the responsibility of the contributor(s), not of the AAFS nor its respective employees, employers, officers, and agents. The AAFS does not supply copies of meeting papers. Please write directly to individual authors to obtain copies of specific papers. Presentation of some abstracts may have been scheduled or canceled after the publication of this document.

English is the official language of the AAFS and its meetings; neither oral nor written translations will be provided.

Copyright 2020 by the AAFS. Unless stated otherwise, non-commercial *photocopying* of editorial material published in this periodical is permitted by the AAFS. Permission to reprint, publish, or otherwise reproduce such material in any form other than photocopying must be obtained from the AAFS.

Articles from the AAFS *Proceedings* should be officially cited in the following format:

Fenton T.W., Kendell A.E., DeLand T.S., Haut R.C. Determination of Impact Direction Based on Fracture Patterns in Human Long Bones. *Proceedings of the American Academy of Forensic Sciences*, 64th Annual Scientific Meeting, Atlanta, GA. 2012. H72.



E53 Choose the Cause of Death: A Complex Suicide

Mauro Coppone, MD, University of Ferrara, Ferrara 44121, ITALY; Elena Lucenti, MD, University of Ferrara, Ferrara 44121, ITALY; Omar Bonato, MD, University of Ferrara, Ferrara 44121, ITALY; Raffaella Marino, MD, University of Ferrara, Ferrara 44121, ITALY; Enrica Calabrese, MD, University of Ferrara, Ferrara 44121, ITALY; Matteo Fabbri, MS, University of Ferrara, Ferrara 44121, ITALY; Rosa Maria Gaudio, University of Ferrara, Ferrara 44121, ITALY; Matteo Marti, PhD, University of Ferrara, Ferrara 44121, ITALY; Paolo Frisoni, MD, University of Ferrara, Ferrara 44121, ITALY; Margherita Neri, MD, PhD, University of Ferrara, Ferrara 44100, ITALY*

Learning Overview: The goal of this presentation is to present a multidisciplinary approach to a case of complex suicide. In order to assist the judicial authorities and police inquiries in classifying the crime, toxicologists and forensic pathologists have to be involved. In this case, the role of the forensic pathologist was of primary importance to clarify time and causes of death and to distinguish between suicide and murder.

Impact on the Forensic Science Community: Complex suicides are an uncommon form of suicide in which multiple suicide methods are associated, representing a challenge for forensic pathologists. They are classified as typical (two suicide methods associated) and atypical (more than two methods involved) forms of suicide. In the case of a complex crime scene like this, the differentiation between homicide and suicide can be difficult; this presentation will impact the forensic science community by providing important support for the management of similar forensic cases.

This case report is about an atypical, complex case of suicide. This 55-year-old woman was found by her sister, deceased in her bedroom. The sister immediately called for medical assistance, police, and, ultimately, the medical examiner was notified.

The woman was discovered lying on her bed with her left hand tied to her right foot with Scotch® tape. Three plastic bags were wrapped around the head. She had superficial incisions on her left wrist. There were bloodstains on the floor, which led to the hypothesis that the victim moved after suffering injuries. A bedside table was leaning against the door, inside the room. There were many empty packages of drugs (acetaminophen, levothyroxine, diazepam, and Acetylsalicylic Acid [ASA]) found in the bedroom.

A multidisciplinary forensic approach, including full autopsy, histological, immunohistochemical, and toxicological analyses, were performed. The autopsy revealed pulmonary and cerebral edema. In addition, thrombosis of the left middle cerebral artery was observed, occluding 80% of the vascular lumen. Histological analysis confirmed the autopsical evidences of pulmonary and cerebral edema and showed massive acute emphysema. Histological analysis of the heart revealed severe myocarditis and advanced coronary disease. Brain tissue showed signs of subacute ischemic suffering. The liver showed signs of centrilobular necrosis. Toxicological analysis revealed a lethal concentration of acetaminophen (4,026.2µg/ml), and therapeutic concentrations of diazepam. The results of autopsy and subsequent examination, combined with the result of crime scene examination, determined the cause of death as smothering. There were not signs of forced entry and no defensive wounds. The absence of these elements eliminated homicide as a manner of death. These findings suggest that a methodological approach, which involves forensic pathologists, toxicologists, and crime scene investigation is essential in cases like this. This collaboration properly identifies the cause and manner of death.

Complex Suicide, Toxicology, Asphixiology